

HEAVY-DUTY GAS HOT PLATES

BASIC MODELS:



Model RHP-4-24







Design Certified by the American Gas Association Design Certified by the Canadian Gas Association Listed by the National Sanitation Foundation

Approved by _	
Date:	

SPECIFY TYPE OF GAS WHEN ORDERING. SPECIFY ALTITUDE WHEN ABOVE 2,000 FT.

WOLF RANGE COMPANY

RHP-2-12 12" wide, 60,000 BTU/hr.
RHP-4-24 24" wide, 120,000 BTU/hr.
RHP-6-36 36" wide, 180,000 BTU/hr.
RHP-8-48 48" wide, 240,000 BTU/hr.

KEY FEATURES:

- Stainless steel exterior.
- 4" adjustable chrome plated legs.
- > 30,000 BTU/hr. open burners with lift-off heads.
- ➤ Pilot ignition system for automatic burner lighting.
- Heavy-duty cast iron top grates.
- > Full width pull out crumb tray.
- ¾" rear gas connection and gas pressure regulator.
- One year limited parts and labor warranty.

OPTIONAL FEATURES:

- > Step-up burners. Rear burners elevated 4".
- → Half hot top on rear burner, 11,000 BTU/hr. input.
- > Stainless steel stand with undershelf.

DESCRIPTION:

Heavy-duty gas hot to	p range,	Wolf Model No
Stainless steel front an	d sides.	4" adjustable chrome plated
legs 30,000 B7	ΓU/hr. op	en burners with lift-off heads.
BTU/hr. total ir	nput. Pilot	ignition system for automatic
burner lighting. Heavy-d	luty cast i	ron top grates. Full width pull
	ar gas co	onnection and gas pressure
regulator.		
Exterior dimensions:	"W ¥	"d x 143/16" working height

exterior dimensions: _____"w x _____"d x 14%6" working neight on 4" legs.

Wolf Range Company Division of ITW Food Equipment Group LLC (800) 366-9653 www.wolfrange.com



Heavy-Duty Gas Hot Plates


INSTALLATION REQUIREMENTS:


- 1. A gas pressure regulator sized for this unit is included. Natural Gas 5.0" W.C. Propane Gas 10.0" W.C.
- 2. Gas line connecting to appliance must be $\frac{3}{4}$ " diameter or larger. If flexible connectors are used, the inside diameter must be the same as the $\frac{3}{4}$ " iron pipe.
- An adequate ventilation system is required for commercial cooking equipment. Information may be obtained by writing to the National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02269, www.NFPA.org. When writing, refer to NFPA No. 96.
- OVERALL WIDTH
 12", 24", 36", 48"
 (305, 610, 914, 1219)

 3-3/4"
 (95)

 GAS
 INLET
- These units are manufactured for installation in accordance with ANSZ223.1A (latest edition), National Fuel Gas Code. Copies may be obtained from The American Gas Association, 400 N Capitol St. NW, Washington, DC 20001, www.AGA.org.
- 5. Clearances:

	Combustible	Non-Combustible
Rear	6"	0"
Sides	6"	0"





MODEL	NO. OF	MAX.	OVERALL OVERALL		APPROX. SHIP WT.		
NO.	BURNERS	BTU/HR.	WIDTH		DEPTH	LBS.	KG
RHP-2-12	2	60,000	12"	Х	31%"	95	43
RHP-4-24	4	120,000	24"	Х	31%"	165	74
RHP-6-36	6	180,000	36"	Х	31%"	265	119
RHP-8-48	8	240,000	48"	х	31%"	310	140

NOTE: In line with its policy to continually improve its product, Wolf Range Company reserves the right to change materials and specifications without notice.

This appliance is manufactured for commercial use only and is not intended for home use.